

Taxonomic List**Criterion 4:**

Lake Fehér at Kardoskút provides refuge to migrant birds during spring and autumn, and forms an important stopover site (particularly in wet years). Numbers of birds fluctuate to a great degree depending on water conditions. Peak numbers of waterfowl recorded during bird migration in recent years:

<i>Species / Year</i>	2007	2008	2009	2010	2011	2012
<i>Anser albifrons</i>	7700	10000	11000	7100	8500	10000
<i>Anas platyrhynchos</i>	4500	3320	6800	4500	2000	2000
<i>Grus grus</i>	15900	11600	10680	10500	15600	25000
<i>Vanellus vanellus</i>	7300	1300	3700	3000	2000	700
<i>Philomachus pugnax</i>	2800	600	2700	320	1300	7000
<i>Limosa limosa</i>	360	1870	430	250	250	150
<i>Numenius phaeopus</i>	2530	2300	2060	260	27	3300
<i>Numenius arquata</i>	150	273	266	540	360	140
<i>Larus ridibundus</i>	4500	8000	8000	10000	7000	2600

Bibliographical reference: zoological database of the Körös-Maros National Park Directorate 2009-2014.

Criterion 5:

During migration in wet years, more than 20 000 wildfowl occur on the wetland at the same time, for example:

<i>Species / Year</i>	2007	2008	2009	2010	2011	2012
<i>Date</i>	2007.03.01	2008.12.11	2009.11.26	2010.10.29	2011.12.29	2012.01.03
<i>Anser albifrons</i>	7700	9000	8000	6000	1500	4000
<i>Anas crecca</i>	150	0	220	900	0	0
<i>Anas platyrhynchos</i>	700	3320	3700	2000	2000	200
<i>Grus grus</i>	7260	9600	10200	10000	15600	25000
<i>Vanellus vanellus</i>	1100	33	3600	0	0	0
<i>Larus ridibundus</i>	4500	0	0	1500	0	0
Total	21 410	21 953	25 720	20 400	19 100	29 200

Bibliographical reference: zoological database of the Körös-Maros National Park Directorate 2009-2014.