

# Ramsar Information Sheet

Published on 19 July 2022 Update version, previously published on : 2 April 2015

# Netherlands Duinen Vlieland



Designation date 29 August 2000

Site number 2216

Coordinates 53°16'51"N 05°00'35"E

Area 1 484,10 ha

# Color codes

Fields back-shaded in light blue relate to data and information required only for RIS updates.

Note that some fields concerning aspects of Part 3, the Ecological Character Description of the RIS (tinted in purple), are not expected to be completed as part of a standard RIS, but are included for completeness so as to provide the requested consistency between the RIS and the format of a 'full' Ecological Character Description, as adopted in Resolution X.15 (2008). If a Contracting Party does have information available that is relevant to these fields (for example from a national format Ecological Character Description) it may, if it wishes to, include information in these additional fields.

# 1 - Summary

#### Summary

The Ramsar site Duinen Vlieland (1484 ha) is characterized by an extensive dune area and diked salt marshes (Kroon's Polders). The width of the dune area varies from 300 to 1700 m. The dry dunes are relatively calcareous, which is reflected in lichen-rich dune grasslands and heath vegetation. The area also includes some forest complexes consisting of planted coniferous and deciduous forests and spontaneous regrowth. On the western edge of the area lies the Vliehors, a vast beach plain with pioneer dunes, young salt marsh vegetation and a dune valley. The largest part of the Vliehors however is part of the adjacent Ramsar site Wadden Sea. There is a great diversity of dune valleys in the area, which differ in the degree of infiltration or seepage. Central to the island are acidic environments of infiltration valleys. The Kroon's Polders consist of a series of dune valleys with calcareous dune valley vegetation. The reserve consists of four artificially cut off beach plains behind the dunes. They were built to prevent the island from breaking through and to create pastureland. Salt water is let in in three of the four polders. The site is particularly important for the conservation of several habitat types and for resting and breeding bird species.

# 2 - Data & location

#### 2.1 - Formal data

2.1.1	I - Name	and	address	of the	comp	iler o	f this	RIS
-------	----------	-----	---------	--------	------	--------	--------	-----

Responsible compiler

Institution/agency

Wageningen Environmental Research

PO Box 47
6700 AA Wageningen
The Netherlands

National Ramsar Administrative Authority

Institution/agency Ministry of Agriculture Nature and Food Quality

Bezuidenhoutseweg 73 P.O. Box 20401 2500 EK The Hague Postal address The Netherlands

2.1.2 - Period of collection of data and information used to compile the RIS

From year 2015

To year 2020

2.1.3 - Name of the Ramsar Site

Official name (in English, French or Spanish)

Unofficial name (optional) | Duinen Vlieland |

Unofficial name (optional) | Originally designated as part of RS 1252 Waddenzee-eilanden, kustzone Nordzee en Breebart

2.1.4 - Changes to the boundaries and area of the Site since its designation or earlier update

(Update) A. Changes to Site boundary Yes O No (Update) B. Changes to Site area No change to area

(Update) For secretariat only. This update is an extension □

2.1.5 - Changes to the ecological character of the Site

(Update) 6b i. Has the ecological character of the Ramsar Site (including applicable Criteria) changed since the previous RIS?

#### 2.2 - Site location

# 2.2.1 - Defining the Site boundaries

b) Digital map/image

<1 file(s) uploaded>

Former maps 0

Boundaries description

The boundary of the Ramsar site is equal to the Natura 2000-site with the same name.

The Site was formerly part of Ramsar Site 1252 (Waddeneilanden, Noordzeekustzone, Breebaart) which was divided in six Sites following Natura 2000 borders in 2014

#### 2.2.2 - General location

a) In which large administrative region does the site lie?

Province of Friesland.

b) What is the nearest town or population Oost-Vlieland with a population of 1194 in 2021 (Source: CBS, Netherlands Statistics).

#### 2.2.3 - For wetlands on national boundaries only

a) Does the wetland extend onto the territory of one or more other Yes O No 

Yes O No countries?

b) Is the site adjacent to another designated Ramsar Site on the Yes 
No O territory of another Contracting Party?

idem No O

d) Transboundary Ramsar Site name: Wadden Sea

#### 2.2.4 - Area of the Site

Sites part of transboundary designation

**Duinen Ameland - Netherlands** 

Duinen en Lage Land Texel - Netherlands

Duinen Schiermonnikoog - Netherlands

**Duinen Terschelling - Netherlands** 

Hamburgisches Wattenmeer - Germany

North Sea Coastal Area - Netherlands

Schleswig-Holstein Wadden Sea and adjacent areas - Germany

Vadehavet - Denmark

Wadden Sea - Netherlands

Wattenmeer, Elbe-Weser-Dreieck - Germany

Wattenmeer, Jadebusen & westliche Wesermündung - Germany

Wattenmeer, Ostfriesisches Wattenmeer & Dollart - Germany

Official area, in hectares (ha): 1484.1

Area, in hectares (ha) as calculated from 1484.12

GIS boundaries

#### 2.2.5 - Biogeography

Biogeographic regions

Regionalisation scheme(s)	Biogeographic region
Other scheme (provide name below)	Atlantic

Other biogeographic regionalisation scheme

The bio-geographic regions dataset used, contains the official delineations used in the Habitats Directive (92/43/EEC) and for the EMERALD Network set up under the Convention on the Conservation of European Wildlife and Natural Habitats (Bern Convention)

# 3 - Why is the Site important?

#### 3.1 - Ramsar Criteria and their justification

Criterion 1: Representative, rare or unique natural or near-natural wetland types

The Dutch coastal dunes system stretching from the north-eastern border with Germany and the southwestern border with Belgium is actually one big nature reserve. Within the Netherlands but also within the Other ecosystem services provided Atlantic biogeographic region it may be regarded as one of the most biodiverse ecosystems. The almost 1500 ha of the Duinen Vlieland represent a vast and unique natural or near-natural dune-system containing a large variety of species and (priority) habitat types of European importance.

- Criterion 2 : Rare species and threatened ecological communities
- Criterion 3 : Biological diversity

The Duinen Vlieland is designated as a Natura 2000 site (both SAC and SPA) and can therefore be considered important for maintaining the biodiversity of the Atlantic biogeographic region. Besides the Justification species mentioned under criterion 2, the site has also been designated as a SAC for a range of habitat types (Annex I of HD) and SPA for a number of bird species that are not on Annex I of the BD.

☑ Criterion 4 : Support during critical life cycle stage or in adverse conditions

Optional text box to provide further information The Ramsar site is also part of the Natura 2000 network in the European Union. It is designated as a Special Protection Area (SPA) for the functions that it provides to specific breeding and non-breeding bird species (e.g. migratory, hibernating, sleeping, resting, foraging). The site is also designated as a Special Area of Conservation (SAC) for specific non-bird species (and habitat types see section 3.4). See also Natura2000 - Standard data form https://natura2000.eea.europa.eu/

☑ Criterion 6 : >1% waterbird population

information (CSR7).

Optional text box to provide further The 1% waterbird population thresholds are based on the 7th Edition of the Conservation Status Report

3.2 - Plant species whose presence relates to the international importance of the site

Phylum	Scientific name	Criterion 2	Criterion 3	Criterion 4	IUCN Red List	CITES Appendix I	Other status	Justification	
Plantae									
TRACHEOPHYTA/ LILIOPSIDA	Dactylorhiza incarnata	<b></b> ✓					National red list species		
TRACHEOPHYTA/ LILIOPSIDA	Epipactis palustris	<b>₽</b>					National red list species		
TRACHEOPHYTA/ LILIOPSIDA	Gymnadenia conopsea	<b>₽</b>					National red list species		
TRACHEOPHYTA/ LILIOPSIDA	Liparis loeselii	<b>2</b>	<b>2</b>	<b>2</b>			National red list species	The site is also designated as a Special Area of Conservation (SAC) for this species and is part of the Natura 2000 network within the European Union.	
TRACHEOPHYTA/ MAGNOLIOPSIDA	Parnassia palustris	<b>2</b>			LC		National red list species		
TRACHEOPHYTA/ MAGNOLIOPSIDA	Tuberaria guttata	<b>/</b>					National red list species		
Fungi	Fungi								
ASCOMYCOTA/ LECANOROMYCETES	Bryoria fuscescens	<b></b> ✓					National red list species		
BASIDIOMYCOTA/ AGARICOMYCETES	Phallus hadriani	<b>₽</b>					National red list species		

3.3 - Animal species whose presence relates to the international importance of the site

3.3 - AII	ımai species	whose p	rese	SUCE	e rela	iles i	o tne interna	uonai in	ibor	tance o	i the site	₹	
Phylum	Scientific name	Species qualifies unde criterion 2 4 6 9	er co und		utes terion	Pop. Size	Period of pop. Est.	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
Others								<u>'</u>					
CHORDATA / MAMMALIA	Halichoerus grypus atlantica											National red list species	The site is also designated as a Special Area of Conservation (SAC) for this species and is part of the Natura 2000 network within the European Union.
Birds													
CHORDATA / AVES	Anas acuta					175	2015/16-2019/20	0.3	LC			National red list species	Reference population: North-west Europe. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Anas clypeata					174	2015/16-2019/20	0.3	LC			National red list species	Reference population: North-west & Central Europe (win). The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Circus aeruginosus								LC				The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Circus cyaneus								LC			National red list species	The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Larus fuscus intermedius					10647	2015/16-2019/20	1.7					Reference population: intermedius, S Scandinavia, Netherlands, Ebro Delta, Spain. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.

Phylum	Scientific name	Species qualifies un criterio 2 4 6	nder n ι	cor unde	r crit	ites terion	Pop. Size	Period of pop. Est.	% occurrence 1)	IUCN Red List	CITES Appendix I	CMS Appendix I	Other Status	Justification
CHORDATA / AVES	Oenanthe oenanthe			<b>√</b>	0					LC			National red list species	The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Phalacrocorax carbo			<b>2</b> (	<b>-</b>		2375	2015/16-2019/20	0.5	LC				Reference population: sinensis, Northern & Central Europe. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Platalea leucorodia			<b>2</b> (	0		562	2015/16-2019/20	3.5	LC				Reference population: leucorodia, West Europe/West Mediterranean & West Africa. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Porzana porzana			<b>2</b> (	0		5	2015/16-2019/20	0				National red list species	Reference population: Europe/Africa. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Recurvirostra avosetta			<b>2</b> (			502	2015/16-2019/20	0.5	LC				Reference population: Western Europe & North-west Africa (bre). The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Somateria mollissima			<b>7</b>	<b>_</b>		2314	2015/16-2019/20	0.2	LC				Reference population: mollissima, Baltic, Denmark & Netherlands. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.
CHORDATA / AVES	Tringa totanus robusta	<b>V V</b>		<b></b> ✓			3543	2015/16-2019/20	1.5				National red list species	Reference population: robusta, Iceland & Faroes/Western Europe. The site is also designated as a Special Protection Area (SPA) for this species and is part of the Natura 2000 network within the European Union.

<sup>1)</sup> Percentage of the total biogeographic population at the site

Bird data are provided by SOVON, Dutch Centre for Field Ornithology.

The 1% waterbird population thresholds are based on the 7th Edition of the Conservation Status Report (CSR7).

3.4 - Ecological communities whose presence relates to the international importance of the site

Name of ecological community	Community qualifies under Criterion 2?	Description	Justification
Salicomia and other annuals colonizing mud and sand			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Atlantic salt meadows (Glauco- Puccinellietalia maritimae)			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Shifting dunes along the shoreline with Ammophila arenaria ('white dunes')			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Atlantic decalcified fixed dunes (Calluno- Ulicetea)	Ø	Priority habitat type	The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Decalcified fixed dunes with Empetrum nigrum	Ø	Priority habitat type	The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Fixed coastal dunes with herbaceous vegetation ('grey dunes')	Ø	Priority habitat type	The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Dunes with Hippophaë rhamnoides			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Dunes with Salix repens ssp. Argentea (Salicion arenariae)			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Wooded dunes of the Atlantic region			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Humid dune slacks			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.
Embryonic shifting dunes			The site is also designated as a Special Area of Conservation (SAC) for this habitat type and is part of the Natura 2000 network within the European Union.

#### Optional text box to provide further information

The site is also designated as a Special Area of Conservation (SAC) for the habitat types listed above and is part of the Natura 2000 network within the European Union.

# 4 - What is the Site like? (Ecological character description)

# 4.1 - Ecological character

Due to the harsh climatic circumstances natural woodland in the Wadden area is generally low and dominated by oak (Quercus robur); this type of woodland has only developed on the five largest dune islands, among which the Duinen Vlieland. In the 20th century many conifers have been planted to stabilise shifting sand dunes, partly as an employment project in the 1930-ies. The dunes encompass many habitat types of European importance.

# 4.2 - What wetland type(s) are in the site?

#### Marine or coastal wetlands

Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
E: Sand, shingle or pebble shores		1		Representative
H: Intertidal marshes		2		Rare

#### Inland wetlands

mana modamao				
Wetland types (code and name)	Local name	Ranking of extent (1: greatest - 4: least)	Area (ha) of wetland type	Justification of Criterion 1
Fresh water > Marshes on inorganic soils >> Tp: Permanent freshwater marshes/ pools		3		Representative

#### Other non-wetland habitat

Other non-wetland habitats within the site	Area (ha) if known
Coastal dunes ecosystem	

# 4.3 - Biological components

#### 4.3.1 - Plant species

<no data available>

#### 4.3.2 - Animal species

<no data available>

# 4.4 - Physical components

# 4.4.1 - Climate

Climatic region	Subregion
C: Moist Mid-Latitude climate with mild winters	Cfb: Marine west coast (Mild with no dry season, warm summer)

# 4.4.2 - Geomorphic setting

3
a) Minimum elevation above sea level (in metres)
a) Maximum elevation above sea level (in metres)
Entire river basin
Upper part of river basin
Middle part of river basin
Lower part of river basin
More than one river basin $\Box$
Not in river basin $\Box$
Coastal 🗹

Please name the river basin or basins. If the site lies in a sub-basin, please also name the larger river basin. For a coastal/marine site, please name the sea or ocean.

The Wadden island represents its own catchment area. The islands basically consist of dune sands and silt polders claimed from the sea. The land surface of the island ranges approx. 40 km².

#### 4.4.3 - Soil

Mineral 🗷	
(Update) Changes at RIS update N	lo change
Organic 🗷	2
(Update) Changes at RIS update N	lo change
No available information	
Are soil types subject to change as a result of changing hydrological conditions (e.g., increased salinity or acidification)?	res O No <b>⊙</b>

Please provide further information on the soil (optional)

Vlieland is one of the smaller Wadden Sea islands. The landscape is characterised by a vast dune area and polders (Kroon's Polders). The dry dunes are decalcified which results in diverse lichen communities.

#### 4.4.4 - Water regime

#### Water permanence

water permanence	
Presence?	Changes at RIS update
Usually permanent water	No change

#### Source of water that maintains character of the site

Source of water that maintains character of the site					
Presence?	Predominant water source	Changes at RIS update			
Water inputs from precipitation	<b>✓</b>	No change			
Water inputs from groundwater		No change			
Water inputs from surface water		No change			
Marine water	✓	No change			

#### Water destination

Presence?	Changes at RIS update	
Feeds groundwater	No change	
Marine	No change	

#### Stability of water regime

Presence?	Changes at RIS update
Water levels largely stable	No change
Water levels fluctuating (including tidal)	No change

Please add any comments on the water regime and its determinants (if relevant). Use this box to explain sites with complex hydrology.

The Duinen Vlieland encompass a wide variety of dune slacks which differ in infiltration and upwelling of fresh ground water. More centralised there are more decalcified environments in infiltration slacks. The Kroon's polders are artificial, once created to prevent the island from breaking in two pieces as well as to create meadows for farming. Three of the four polders are connected to the tidal system of the Wadden Sea.

Measures are taken in order to counteract water shortage due to low groundwater level.

# 4.4.5 - Sediment regime

Sediment regime unknown

Please provide further information on sediment (optional):

The dune system depends on processes of sand accretion and erosion by wind and sea. To a certain extend these processes still occur at the site.

#### 4.4.6 - Water pH

Alkaline (pH>7.4)

(Update) Changes at RIS update	No change   Increase   Decrease   Unknown   O
	_

Unknown  $\square$ 

Please provide further information on pH (optional):

The pH of the water in the dune slacks was not exactly known at the time of completing this database.

#### 4.4.7 - Water salinity

Fresh (<0.5 g/l)

<sup>(Update)</sup> Changes at RIS update No change <b>®</b> Increase O Decrease O Unknown O
Mixohaline (brackish)/Mixosaline (0.5-30 g/l) ☑
<sup>(Update)</sup> Changes at RIS update No change <b>(Opdate)</b> Increase <b>(Opdate)</b> Unknown <b>(Opdate)</b>
Euhaline/Eusaline (30-40 g/l) ☑
<sup>(Update)</sup> Changes at RIS update No change <b>⊙</b> Increase <b>O</b> Decrease <b>O</b> Unknown <b>O</b>
Unknown
1.4.8 - Dissolved or suspended nutrients in water
Eutrophic ☑
<sup>(Update)</sup> Changes at RIS update No change <b>②</b> Increase <b>O</b> Decrease <b>O</b> Unknown <b>O</b>
Mesotrophic ☑
<sup>(Update)</sup> Changes at RIS update No change <b>②</b> Increase <b>○</b> Decrease <b>○</b> Unknown <b>○</b>
Oligotrophic    ✓
<sup>(Update)</sup> Changes at RIS update No change <b>⊙</b> Increase O Decrease O Unknown O
Unknown □
Please provide further information on dissolved or suspended nutrients (optional):
The dissolved or suspended nutrients in water were not exactly known at the time of completing this database.
4.4.9 - Features of the surrounding area which may affect the Site
Please describe whether, and if so how, the landscape and ecological characteristics in the area surrounding the Ramsar Site differ from the i) broadly similar $O$ ii) significantly different $oldsymbol{o}$ site itself:
Surrounding area has greater urbanisation or development
Surrounding area has higher human population density $\Box$
Surrounding area has more intensive agricultural use
Surrounding area has significantly different land cover or habitat types
Please describe other ways in which the surrounding area is different:
The Wadden Sea and the North Sea represent the immediate surroundings of the Wadden Island.

# 4.5 - Ecosystem services

# 4.5.1 - Ecosystem services/benefits

Provisioning Services

Ecosystem service Examples		Importance/Extent/Significance	
Fresh water	Drinking water for humans and/or livestock	High	

Regulating Services

Ecosystem service	Examples	Importance/Extent/Significance
Hazard reduction	Coastal shoreline and river bank stabilization and storm protection	High

Cultural Services

Ecosystem service	Examples	Importance/Extent/Significance
Recreation and tourism	Nature observation and nature-based tourism	High
Scientific and educational	Important knowledge systems, importance for research (scientific reference area or site)	High
Scientific and educational	Long-term monitoring site	High

Supporting Services

Ecosystem service	Examples	Importance/Extent/Significance
Biodiversity	Supports a variety of all life forms including plants, animals and microorganizms, the genes they contain, and the ecosystems of which they form a part	High

Optional text box to provide further information

Main ecosystem services of the site are:

- The chain of Wadden islands and dune systems creates shelter from the North Sea which protects and sustains the highly productive Wadden Sea (a.o. in terms of fisheries);
- The Wadden islands dunes protect the islands hinterland from the North Sea;
- The dunes are a catchment area for rainwater which provides high quality drinking (ground)water;
   The sunny climate and the scenic and natural beauty of the Wadden islands has turned the islands into one of the main tourism destinations in

Have studies or assessments been made of the economic valuation of ecosystem services provided by this Ramsar Site?	Yes O No O Unknown 💿
.5.2 - Social and cultural values	
i) the site provides a model of wetland wise use, demonstrating the application of traditional knowledge and methods of management and use that maintain the ecological character of the wetland	
ii) the site has exceptional cultural traditions or records of former civilizations that have influenced the ecological character of the wetland	
iii) the ecological character of the wetland depends on its interaction with local communities or indigenous peoples	

character of the wetland

iv) relevant non-material values such as sacred sites are present and their existence is strongly linked with the maintenance of the ecological  $\Box$ 

<no data available>

# 4.6 - Ecological processes

<no data available>

# 5 - How is the Site managed? (Conservation and management)

# 5.1 - Land tenure and responsibilities (Managers)

#### 5.1.1 - Land tenure/ownership

Pu				

Category	Within the Ramsar Site	In the surrounding area
National/Federal government	<b></b> ✓	<b>/</b>

#### Private ownership

Category	Within the Ramsar Site	In the surrounding area
Other types of private/individual owner(s)		<b>2</b>

Provide further information on the land tenure / ownership regime (optional):

a) within the Ramsar site:

Staatsbosbeheer

b) in the surrounding area:

The water (Wadden Sea and North Sea) is state owned, on land several private owners.

#### 5.1.2 - Management authority

Main management authorities:

Please list the local office / offices of any agency or organization responsible for managing the site:

- Staatsbosbeheer, see: https://www.staatsbosbeheer.nl/Natuurgebieden/vlieland
- Ministry of Defence, P.O. Box 20701, 2500 ES, The Hague, +31 (0)70 318 81 88.
- Rijkswaterstaat Noord-Nederland, Zuidersingel 3, 8911 AV Leeuwarden, P.O. Box 2301, 8901 JH, Leeuwarden, tel. +31 (0)58 234 43 44.

Postal address:

Head office: Staatsbosbeheer, P.O. Box 2, 3800 AA Amersfoort, the Netherlands, tel. 030-6926111

E-mail address: info@staatsbosbeheer.nl

# 5.2 - Ecological character threats and responses (Management)

# 5.2.1 - Factors (actual or likely) adversely affecting the Site's ecological character

Water regulation

Water abstraction Medium impact   No change   No change	Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
	Water abstraction	Medium impact		V	No change		No change

# Human intrusions and disturbance

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
(Para)military activities	Medium impact	Medium impact	✓	No change		No change
Recreational and tourism activities	Medium impact	Medium impact	✓	No change	<b>V</b>	No change

# Pollution

Factors adversely affecting site	Actual threat	Potential threat	Within the site	Changes	In the surrounding area	Changes
Air-borne pollutants	High impact	High impact	✓	No change	✓	No change

#### 5.2.2 - Legal conservation status

Regional (international) legal designations

Regional (international) legal designations						
Designation type	Name of area	Online information url	Overlap with Ramsar Site			
EU Natura 2000	Duienen Vlieland	https://www.natura2000.nl/gebied en/friesland/duinen-vlieland	whole			

National legal designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
National Ecological Network (NEN)	Duinen Vlieland	https://www.government.nl/topics /nature-and-biodiversity/nationa l- ecological-network-nen	whole

#### Non-statutory designations

Designation type	Name of area	Online information url	Overlap with Ramsar Site
Important Bird Area	Duinen Vlieland	http://datazone.birdlife.org/sit e/factsheet/1182	whole
Other non-statutory designation	KBA Duinen Vlieland	http://www.keybiodiversityareas. org/site/factsheet/1182	whole

#### 5.2.3 - IUCN protected areas categories (2008)

	la Strict Nature Reserve
-	Ib Wilderness Area: protected area managed mainly for wilderness protection
_	II National Park: protected area managed mainly for ecosystem protection and recreation
	III Natural Monument: protected area managed mainly for conservation of specific natural features
	IV Habitat/Species Management Area: protected area managed mainly for conservation through management intervention
	V Protected Landscape/Seascape: protected area managed mainly for landscape/seascape conservation and recreation
, _	VI Managed Resource Protected Area: protected area managed mainly

for the sustainable use of natural ecosystems

# 5.2.4 - Key conservation measures

#### Legal protection

3 F				
Measures	Status			
Legal protection	Implemented			

#### Habitat

Measures	Status
Habitat manipulation/enhancement	Implemented
Hydrology management/restoration	Implemented

#### Species

Measures	Status
Threatened/rare species	Implemented
management programmes	implemented

#### Human Activities

Measures	Status
Regulation/management of recreational activities	Implemented
Communication, education, and participation and awareness activities	Implemented
Research	Implemented
Management of water abstraction/takes	Implemented

# 5.2.5 - Management planning

Is there a site-specific management plan for the site? Yes

Has a management effectiveness assessment been undertaken for the site?

If the site is a formal transboundary site as indicated in section Data and location > Site location, are there shared management planning Yes O No processes with another Contracting Party?

Please indicate if a Ramsar centre, other educational or visitor facility, or an educational or visitor programme is associated with the site:

A wide variety of hides, excursions, information booklets etc.

The area has one visitor centre in the village of Oost-Vlieland: "De Noordwester", Dorpsstraat 150, 8899 AN Vlieland, tel. 0562 451700. Information on excursions can be obtained through the visitor centres and Tourist Offices (VVV's) of Vlieland.

URL of site-related webpage (if relevant): https://www.denoordwester.nl/

# 5.2.6 - Planning for restoration

Is there a site-specific restoration plan? Yes, there is a plan

#### 5.2.7 - Monitoring implemented or proposed

Monitoring	Status
Birds	Implemented
Plant community	Implemented
Plant species	Implemented
Animal species (please specify)	Implemented
Water regime monitoring	Implemented

Ongoing biodiversity monitoring is one of the obligatory activities in relation to the designated Natura 2000-habitat types and species. Numerous scientific research projects are ongoing in the Wadden Sea, North Sea Coastal area and the Wadden Islands. Main responsible executors are:

- NIOZ: Royal Netherlands Institute for Sea Research;
- Wageningen IMARES: The Institute for Marine Resources and Ecosystem Studies (which joins same facilities with NIOZ);
- Wageningen Alterra: research institute for our green living environment (mainly terrestrial and fresh water research);
- University of Groningen (offering an MSc in Marine Biology);
- SOVON, the Dutch Bird Research Organisation, coordinates a continues national bird monitoring program in which it cooperates with 7000 volunteers, research institutes and organisations in the monitoring of birds throughout the Netherlands;
- TNO: Netherlands Organization for Applied Scientific Research (Den Helder);
- NIOO: Netherlands Institute of Ecology;
- RIKZ: The National Institute for Coastal and Marine Management.

# 6 - Additional material

# 6.1 - Additional reports and documents

#### 6.1.1 - Bibliographical references

The site equals the Natura 2000-boundaries. Voor up-to-date information and references about the site see https://www.natura2000.nl/gebieden/friesland/duinen-vlieland.

# 6.1.2 - Additional reports and documents

i. taxonomic lists of plant and animal species occurring in the site (see section 4.3)

ii. a detailed Ecological Character Description (ECD) (in a national format)

iii. a description of the site in a national or regional wetland inventory

iv. relevant Article 3.2 reports

v. site management plan

vi. other published literature

# 6.1.3 - Photograph(s) of the Site

Please provide at least one photograph of the site:



- ( Bas van Gennip, - )

# 6.1.4 - Designation letter and related data

Designation letter

Transboundary Designation letter

<1 file(s) uploaded>

Date of Designation 2000-08-29